

#### **DYNAMIC**

Revision Date 16-Oct-2024 Revision Number 10

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identification

**Product Description:** 

#### DYNAMIC CLEAR ACID DRAIN CLEANER

CAS-No EC-No. Molecular Formula 7664-93-9 231-639-5 H2 O4 S

Relevent identified uses of the substance or mixture and uses advised against

.

Recommended Use Uses advised against

Laboratory chemicals. No Information available

1.3. Details of the supplier of the safety data sheet

Company

E-mail address

Uniconomy Ltd Unit 1 Carter building, Brookside Thornton Cleveleys Lancs FY5 4EZ enquiries@uniconopmy.co.uk

1.4. Emergency telephone number

01253 854050 (Office Hours Only).

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

#### **Physical hazards**

Based on available data, the classification criteria are not met

#### Health hazards

Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Category 1 A (H314) Category 1 (H318)

Environmental hazards Based on available data, the classification criteria are not met

#### 2.2. Label elements

#### DYNAMIC



Signal Word

Danger

#### Hazard Statements

H314 - Causes severe skin burns and eye damage

#### Precautionary Statements

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### 2.3. Other hazards

No information available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Sulphuric acid	7664-93-9	231-639-5	>95	Skin Corr. 1A (H314) Eye Dam. 1 (H318)

-

#### Reach Registration Number

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### DYNAMIC

**Self-Protection of the First Aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

# Extinguishing media which must not be used for safety reasons Water.

#### 5.2. Special hazards arising from the substance or mixture

Corrosive Material. Reacts violently with water. Reaction with water may generate much heat which will increase the concentration of fumes in the air. Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

#### Hazardous Combustion Products

Hydrogen, Sulfur oxides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Avoid release to the environment. See Section 12 for additional ecological information.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors/dust. Do not ingest.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE -** 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Sulphuric acid	TWA: 0.05 mg/m <sup>3</sup> 8 hr	STEL: 0.15 mg/m <sup>3</sup> 15	TWA / VME: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> 8 uren	TWA / VLA-ED: 0.05
		min	(8 heures).		mg/m³ (8 horas)
		TWA: 0.05 mg/m <sup>3</sup> 8 hr	STEL / VLCT: 3 mg/m <sup>3</sup> .		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Sulphuric acid	-	TWA: 0.1 mg/m <sup>3</sup> (8	TWA: 0.05 mg/m <sup>3</sup> 8	TWA: 0.05 mg/m <sup>3</sup> 8	TWA: 0.05 mg/m <sup>3</sup> 8
		Stunden). AGW -	horas	uren	tunteina
		exposure factor 1			STEL: 0.1 mg/m <sup>3</sup> 15
		TWA: 0.1 mg/m <sup>3</sup> (8			minuutteina
		Stunden). MAK			
		Höhepunkt: 0.1 mg/m <sup>3</sup>			

Component	Austria	Denmark	Switzerland	Poland	Norway
Sulphuric acid	MAK-KZW: 0.2 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> 8	STEL: 0.1 mg/m <sup>3</sup> 15	TWA: 0.05 mg/m <sup>3</sup> 8	TWA: 0.1 mg/m <sup>3</sup> 8 timer
-	15 Minuten	timer	Minuten	godzinach	STEL: 0.3 mg/m <sup>3</sup> 15
	MAK-TMW: 0.1 mg/m <sup>3</sup> 8		TWA: 0.1 mg/m <sup>3</sup> 8	-	minutter. value
	Stunden		Stunden		calculated thoracic
					fraction

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sulphuric acid	TWA: 0.05 mg/m <sup>3</sup>	TWA-GVI: 0.05 mg/m3 8	TWA: 0.05 ppm 8 hr.	TWA: 0.05 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8
-	_	satima.	STEL: 0.15 ppm 15 min		hodinách. SO3
					TWA: 0.05 mg/m <sup>3</sup> 8
					hodinách. concentrated
					H2SO4 mist
					Ceiling: 2 mg/m <sup>3</sup> SO3

#### DYNAMIC

#### Revision Date 16-Oct-2020

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Sulphuric acid	TWA: 1 mg/m <sup>3</sup> 8 tundides. fume	TWA: 0.05 mg/m <sup>3</sup> 8 hr when selecting an appropriate exposure monitoring method,	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> 8 órában. AK	TWA: 0.05 mg/m <sup>3</sup> 8 klukkustundum. aerosols Ceiling: 0.1 mg/m <sup>3</sup>
		account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds thoracic fraction			

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sulphuric acid	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> vapor	TWA: 0.05 mg/m <sup>3</sup> 8	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> 8 ore
		IPRD STEL: 3 mg/m <sup>3</sup>	Stunden		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Sulphuric acid	Skin notation	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> 8	Indicative STLV: 0.2	TWA: 0.05 mg/m <sup>3</sup> 8 saat
	MAC: 1 mg/m <sup>3</sup>		urah inhalable fraction,	mg/m <sup>3</sup> 15 minuter	
			fog	inhalable fraction	
				LLV: 0.1 mg/m <sup>3</sup> 8	
				timmar. inhalable	
				fraction	

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

**Predicted No Effect Concentration** No information available. **(PNEC)** 

#### 8.2. Exposure controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

DYN/	AMIC
------	------

Glovo matorial	Breakthrough time	Glove thickness	Ell standard	Glove comments	
Butyl rubber	> - 120 minutes	0.5 mm	FN 374	(minimum requirement)	
Viton (R)	> 480 minutes	0.4 mm		(minimum requirement)	
Skin and body prot	tection Wear ap	propriate protective	aloves and clothing to	prevent skin exposure	
		F F	gg	F	
Inspect gloves before us	se.				
Please observe the instr	ructions regarding perme	eability and breakthr	rough time which are pi	rovided by the supplier of the gloves.	
(Refer to manufacturer/s	supplier for information)				
Ensure gloves are suital	ble for the task: Chemica	al compatability, Dex	xterity, Operational con	ditions, User susceptibility, e.g.	
sensitisation effects, als	o take into consideratior	the specific local c	onditions under which t	the product is used, such as the danger	
of cuts, abrasion.		<i></i>			
Remove gloves with car	e avoiding skin contami	hation.			
Respiratory Protec	tion When we	When workers are facing concentrations above the exposure limit they must use			
	To prote and main	ct the wearer, respirat ntained properly	ratory protective equipn	nent must be the correct fit and be used	
Large scale/emergency	y use Use a N	OSH/MSHA or Euro	opean Standard EN 13	6 approved respirator if exposure limits	
	Recom E Yellow	nended Filter type: conforming to EN1	Particulates filter cont 4387	forming to EN 143 Acid gases filter Type	
Small scale/Laboratory	y use Use a N limits are Recomr 141	OSH/MSHA or Euro exceeded or if irrita nended half mask:	opean Standard EN 14 ation or other symptom - Valve filtering: EN40	9:2001 approved respirator if exposure s are experienced. 5; or; Half mask: EN140; plus filter, EN	
	When R	PE is used a face pi	ece Fit Test should be	conducted	

Environmental exposure controls No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Appearance Physical State	Colorless Liquid	
Odour Odour Threshold pH Melting Point/Range Softening Point	Odorless No data available 1 10 °C / 50 °F No data available	1N aq.sol
Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	290 °C / 554 °F No information available No data available Not applicable No data available	<b>Method -</b> No information available Liquid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wate Autoignition Temperature Decomposition Temperature Viscosity	1 mmHg @ 146 °C No data available 1.840 Not applicable Miscible No information available <b>r)</b> No data available 340 °C 21mPa.s @ 25 °C	(Air = 1.0) Liquid

DYNAMIC			Revision Date 16-Oct-2020	
Explosive Properties Oxidizing Properties	No information available No information available			
9.2. Other information				
Molecular Formula Molecular Weight	H2 O4 S 98.07			
	SECTION 10: STABILITY	AND REACTIVITY		
10.1. Reactivity	Yes			
10.2. Chemical stability	Water reactive, Hygroscopic.			
10.3. Possibility of hazardous rea	actions			
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. Contact with metals may evolve flammable hydrogen gas. Reacts violently with water.			
10.4. Conditions to avoid	Incompatible products. Excess heat. Exposure to moist air or water.			
10.5. Incompatible materials	Strong oxidizing agents. Combustible material. Bases. Organic materials. Reducing agents. Powdered metals. Peroxides.			
10.6. Hazardous decomposition	<u>products</u> Hydrogen. Sulphur oxides.			
SI	ECTION 11: TOXICOLOGI	CAL INFORMATION		
11.1. Information on toxicologica	Il effects			
Product Information				
(a) acute toxicity; Oral Dermal Inhalation	Based on available data, the cla Based on available data, the cla Based on available data, the cla	assification criteria are not me assification criteria are not me assification criteria are not me	et et	
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
(b) skin corrosion/irritation;	Category 1 A			

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization; Respiratory Skin	Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met

### DYNAMIC

(f) carcinogenicity;

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Sulphuric acid				Group 1
(g) reproductive toxicity;	Based on available data, the classification criteria are not met			
(h) STOT-single exposure;	Based on available data, the classification criteria are not met			
(i) STOT-repeated exposure;	Based on available data, the classification criteria are not met			
Target Organs	No information av	vailable.		
(j) aspiration hazard; Based on available data, the classification criteria are		criteria are not met		
Other Adverse Effects	See actual entry in RTECS for complete information			
Symptoms / effects,both acute an delayed	I Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity Ecotoxicity effects

Do not empty into drains.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sulphuric acid	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	EC50: 29 mg/L/24h	-	-

## 12.2. Persistence and degradability

Persistence	Miscible with water, Persistence is unlikely, based on information available.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.
<u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

#### DYNAMIC

13.1. Waste treatment methods	
Waste from Residues / Unused	Waste is classified as hazardous. Dispose of in accordance with local regulations

Troducts	
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not dispose of waste into sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

14.1. UN number	UN1830
14.2. UN proper shipping name	Sulphuric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II

<u>ADR</u>

14.1. UN number	UN1830
14.2. UN proper shipping name	Sulphuric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II

<u>IATA</u>

14.1. UN number	UN1830
14.2. UN proper shipping name	Sulphuric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II

**14.5. Environmental hazards** No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods Annex II of MARPOL73/78 and the IBC Code

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Sulphuric acid	231-639-5	-		Х	Х	-	Х	Х	Х	Х	Х

### **National Regulations**

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Sulphuric acid	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

### **SECTION 16: OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3 H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date	23-Jun-2009
Revision Date	16-Oct-2020
Revision Summary	Not applicable.

materials or in any process, unless specified in the text

# End of Safety Data Sheet