SPRAID BLUE



Page: 1 Compilation date: 14/07/2015 Revision date: 09.06.24 Revision No:8

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name:

Product code:

SPRAID BLUE

UNISPRAB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Water based Polymer remover and hard surface cleaner.

1.3. Details of the supplier of the safety data sheet

Company name: UNICONOMY LIMITED

Unit 1 Carter Buildings, Brookside

Thornton Cleveleys

Lancashire

FY5 4HP

United Kingdom

- Tel: 01253 854050
- Fax: 01253 854049

Email: info@uniconomy.co.uk

1.4. Emergency telephone number

Emergency tel: 01253 860606 (Office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

2.2. Label elements					
Label elements:	Hazard statements	H290 May be corrosive to metals.			
		H302 Harmful if swallowed.			
Hazard pictograms:	GHS07: Exclamation mark	H314 Causes severe skin burns and eye damage. H319: Causes serious eye irritation.			
Signal words:	Warning				
Precautionary statemen	ts P260 Do not breathe du	ust. P102: Keep out of reach of children.			
	P280 Wear protective g	ploves/ protective clothing/ eye protection/ face protection.			
	P303+P361+P353 IF O	N SKIN (or hair): Take off immediately all contaminated clothing.			
	Rinse skin with water o	r shower.			
	P305+P351+P338 IF IN	NEYES: Rinse cautiously with water for several minutes. Remove			
	contact lenses, if prese	contact lenses, if present and easy to do. Continue rinsing. [cont]			
	P310 Immediately call a	P310 Immediately call a POISON CENTER/ doctor.			
	P501 Dispose of conter	nts/ container in accordance with national regulations.			

SPRAID BLUE

P337+313: If eye irritation persists: Get medical attention.

Page: 2

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

POTTASSIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	
215-18-3	1310-58-3	-	Acute Tox. 4 - H302 Skin Corr. 1A - H314 Acute Tox. 4: H302; Eye Dam. 1 - H318	

TRISODIUM NITRILOTRIACETATE SOLUTION

225-768-6	5064-31-3	-	Acute Tox. 4 - H302 Eye Irrit 2 H319	

Non-classified ingredients:

PRIMARY ALCOHOL ETHOXYLATE CD916

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	<1%

Section 4: First aid measures

4.1. Description of fire	st aid measures
Inhalation	Move affected person to fresh air at once. Get medical attention immediately.
Ingestion	Move affected person to fresh air and keep warm and at rest in a position comfortable for
	breathing. Rinse mouth thoroughly with water. Do not induce vomiting. Do NOT give water to
	drink Get medical attention immediately.
Skin contact	Immediately remove contaminated clothing. Rinse immediately with plenty of water. Get
	medical attention immediately.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide
	apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue
	to rinse.
4.2. Most important s	symptoms and effects, both acute and delayed
Ingestion	Harmful if swallowed. May cause burns in mucous membranes, throat, oesophagus and
	stomach.
Skin contact	Causes severe burns.
Eye contact	Causes serious eye damage. May cause permanent damage if eye is not immediately

irrigated.

SPRAID BLUE

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Page: 3

4.3. Indication of any immediate	4.3. Indication of any immediate medical attention and special treatment needed			
Immediate / special treatment:	Eye bathing equipment should be available on the premises.			
Section 5: Fire-fighting measur	res			
5.1. Extinguishing media				
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool			
-	containers.			
5.2. Special hazards arising fro	om the substance or mixture			
Exposure hazards:	In combustion emits toxic fumes. Water based product. Advice relates to dry residues after			
P	water has evaporated.			
5.3. Advice for fire-fighters				
	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with			
	skin and eyes.			
Section 6: Accidental release n	•			
6.1. Personal precautions, prot	tective equipment and emergency procedures			
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from			
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the			
	contaminated area with signs and prevent access to unauthorised personnel. Turn leaking			
	containers leak-side up to prevent the escape of liquid.			
6.2. Environmental precautions	\$			
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.			
6.3. Methods and material for c	containment and cleaning up			
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal			
	by an appropriate method. Wash the spillage site with large amounts of water.			
6.4. Reference to other section	S			
Reference to other sections:	Refer to section 8 of SDS.			
Section 7: Handling and storag	je			
7.1. Precautions for safe handli	ing			
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do			
	not handle in a confined space. Avoid the formation or spread of mists in the air.			
7.2. Conditions for safe storage	e, including any incompatibilities			

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage

room must be impermeable to prevent the escape of liquids.

SPRAID BLUE

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure L	Limit DNEL	Industry - Inhalation; Long term local effects: 1 mg/m ³ Consumer - Inhalation; Long term local effects: 1 mg/m ³
Hand protection	supplier/manufacturer, who ca material. The selected gloves rubber. glove thickness 0.4mm	d be chosen in consultation with the glove n provide information about the breakthrough time of the glove should have a breakthrough time of at least 8 hours. Nitrile n Butyl rubber. glove thickness 0.5mm Chloroprene rubber.
Eye/face protection	eye contact is possible. The f	pproved standard should be worn if a risk assessment indicates - ollowing protection should be worn: Wear tight-fitting, chemical . Personal protective equipment for eye and face protection of Standard EN166.
DNEL / PNEC	No data available.	

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. The floor of the storage room must be				
	mpermeable to prevent the escape of liquids.				
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.				
Hand protection:					
Eye protection:	Safety glasses. Ensure eye bath is to hand.				
Skin protection:	Protective clothing.				

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Blue		
Odour:	Soapy.		
Evaporation rate:	Slow		
Solubility in water:	Highly soluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	100	Melting point/range°C:	No data available.
Flash point°C:	N/A	upper:	12
Relative density:	0.995	Part.coeff. n-octanol/water:	No data available.
VOC g/I:	No data available.	Vapour pressure:	No data available.
pH:	8		

SPRAID BLUE

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

IHL	RAT	LC50	>5	mg/l
ORL	RAT	LD50	200-2000	mg/kg
SKN	RAT	LD50	>2000	mg/kg

Page: 5

SPRAID BLUE

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Inhalation	Dust may irritate respiratory system or lungs.	
Ingestion	Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach.	
Skin contact	Causes severe burns. 6/	
Eye contact	May cause serious eye damage.	

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity				
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic			
Acute toxicity - fish	organisms. LC50, 96 hours: 80 mg/l,	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours	: 40 - 240 mg/l, Daphnia magna

FISH	96H LC50	1-10	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with the

biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water. Vapour is heavier than air.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

Page: 6

SPRAID BLUE

13.1. Waste treatment methods	
13.1. Waste treatment methods	
Disposal operations:	Flush down sewerage drain with copious amounts of water.
Recovery operations:	Not applicable.
Waste code number:	20 01 30
Disposal of packaging:	Dispose of as normal industrial waste. Clean with water.
NB:	The user's attention is drawn to the possible existence of regional or national regulations
	regarding disposal.
Section 14: Transport informat	ion Transport class: ADR/RID class 8 ICAO class/division 8
ADR/RID classification code C5	ADR/RID label 8 IMDG class 8
Section 15: Regulatory informa	ation
15.1. Safety, health and enviror	nmental regulations/legislation specific for the substance or mixture
Specific regulations:	Not applicable
15.2. Chemical Safety Assessm	
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture by
	the supplier.
Section 16: Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	IMPORTANT NOTE:
	Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation
	when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed
	product.
	See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.
Phrases used in s.2 and s.3:	
	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and
	shall be used only as a guide. This company shall not be held liable for any damage resulting
	from handling or from contact with the above product. For professional and industrial use
	only.